



Oil Adsorbing Filter Cartridge
Designer-Manufacturer-Exporter-Supplier





Oil Adsorbing Filter Cartridge

Oil adsorption filter cartridges have been specifically developed and manufactured for the high efficiency removal of dissolved & dispersed oils from water within the gas & oil production industries, marine bilge and ballast water treatment systems, contaminated surface water run off & other industrial process industries. Filter media of this cartridge is material containing modified cellulose. This filter media will remove upto 95% of total hydrocarbons from water in a single pass. Dissolved oil, emulsions & dispersed droplets are adsorbed and retained from water by filter media.

Construction

Oil adsorbing filter cartridges are made by rolling the sheet material onto a central core support. The core & outer surface of filter media rolls are covered with retaining mesh. The complete module is then encapsulated in to end caps suitable for fitting into a variety of housing configurations.

Features & Benefits

- Instantaneous adsorption. Better than activated carbon.
- High flow rates
- Removes dissolved and dispersed oils.
- High efficiency removal of oils
- Low pressure drop
- Media can hold oil upto 300 % of its own weight
- No release of removed hydrocarbon
- Typically, over 90% of total hydrocarbons are removed in a single pass through the cartridge with no release once adsorbed.
- Lower outlet levels of hydrocarbons can be achieved by connecting cartridges in series.
- Higher flow rates also can be achieved by connecting cartridges in parallel.

Technical Specifications

- Standard Sizes : 10", 20", 30", 40" Long
- Micron Rating : 5, 10, 20 Micron
- Standard Outside Diameter : 70 mm, 110 mm
- Inner Diameter : 28 mm

Configuration

- Double Open Type (DOE Type)

Applications

- Gas and Oil facilities
- Leisure/Commercial Shipping Bilge Water
- Surface Water Run off (Truck Stops, Airports)
- Auto Service Stations\gate
- Machine Shops
- Industrial Processes
- Factories and Repair Shops
- Car and Truck Washes



Designed By: e-brandstudio.com

Filter Concept Pvt. Ltd.

(An ISO 9001:2008, ISO 14001:2004, OHSAS 18001:2007 Certified Company)

Corporate Office

302, "Aalin", Opp.Gujarat Vidhyapith,
B/h. Jet Airways Office, Ashram Road, Ahmedabad - 14.
Gujarat, INDIA.

Phone : +91-79-2754 1602, 2754 0069, 3291 8518

Fax : +91-79-2754 0801

E-mail : info@filter-concept.com

Manufacturing Unit

A-6, Pushparaj Industrial Estate,
Nutan Mill Compound, B/h. City-Gold Theatre, Saraspur,
Ahmedabad-380018. Gujarat, INDIA.

Phone : +91 -79 -2220 1921, 2220 1292

Fax : +91-79-2220 1911

E-mail : factory@filter-concept.com